

CHERITON BISHOP PRIMARY SCHOOL: Number & Calculation policy: Years 1&2

Rationale

It is our intent to enable KS1 children to develop the core ideas that underpin all calculation. They begin by connecting calculation with counting on and counting back, but they should learn that understanding wholes and parts will enable them to calculate efficiently and accurately, and with greater flexibility. They learn how to use an understanding of 10s and 1s to develop their calculation strategies, especially in addition and subtraction. Children develop an awareness of equal groups and link this with counting in equal steps, starting with 2s, 5s and 10s. In Year 2, they learn to connect the language of equal groups with the mathematical symbols for multiplication and division.

They learn how multiplication and division can be related to repeated addition and repeated subtraction.

Key Vocabulary:

whole, part, ones, ten, tens, number bond, add, addition, plus, total, altogether, subtract, subtraction, find the difference, take away, minus, less, more, group, share, equal, equals, is equal to, groups, equal groups, times, multiply, multiplied by, divide, share, shared equally, times-table

	Years 1&2			
	Concrete	Pictorial	Abstract	
Place value	By Y2 children will be taught:			
Understanding 10s and 1s	Understanding teen numbers as a complete 10 and some more Complete a group of 10 objects and count more.	Understanding teen numbers as a complete 10 and some more Use a ten frame to support understanding of a complete 10 for teen numbers.	Understanding teen numbers as a complete 10 and some more. 1 ten and 3 ones equal 13. 10 + 3 = 13	
Understanding 10s and 1s	Group objects into 10s and 1s.	Understand 10s and 1s equipment, and link with visual representations on ten frames.	Represent numbers on a place value grid, using equipment or numerals. Tens 0nes 3 2 Tens 0nes 4	
Adding 10s	Use known bonds and unitising to add 10s. <i>I know that</i> $4 + 3 = 7$. So, I know that 4 tens add 3 tens is 7	Use known bonds and unitising to add 10s. Use known bonds and unitising to add 10s. $* \oplus \oplus + \oplus \oplus = \oplus \oplus$	Use known bonds and unitising to add 10s. (4) (3) 4+3= (4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	

	tens.	So, I know that 4 tens add 3 tens is 7 tens.	
Addition	All children will be taught:		
	Concrete	Pictorial	Abstract
Counting and adding more	Children add one more person or object to a group to find one more.	Children add one more cube or counter to a group to represent one more.	Use a number line to understand how to link counting on with finding one more.
	Language: the number after, one more than Use of number line and dice	Numicon supports this area. One more than 4 is 5.	One more than 6 is 7. 7 is one more than 6. Learn to link counting on with adding more than one. 0 + 2 + 3 + 4 + 5 + 6 + 7 + 8 + 9 + 10
Understanding part-part-whole relationship	Sort people and objects into parts and understand the relationship with the whole.	Children draw to represent the parts and understand the relationship with the whole.	Use a part-whole model to represent the numbers. 10 6 4 6 + 4 = 106 + 4 = 10
Knowing and finding number bonds within	Break apart a group and put back together to find and form number bonds.	Use five and ten frames to represent key number bonds.	Use a part-whole model alongside other representations to find number bonds. Make sure to include examples where one of the

10	7+3 = 10	5 = 4 + 1	parts is zero. a) (
Adding by counting on	Children use knowledge of counting to 20 to find a total by counting on using people or objects. 8 on the bus 9 10 11	Children use counters to support and represent their counting on strategy.	3 + 1 = 4 Children use number lines or number tracks to support their counting on strategy. 7 $7 + 5 =$
Adding the 1s	Children use bead strings to recognise how to add the 1s to find the total efficiently. 2 + 3 = 5 12 + 3 = 15	calculations using ten frames to add a teen and 1s. 2 + 3 = 5 $12 + 3 = 15$	Children recognise that a teen is made from a 10 and some 1s and use their knowledge of addition within 10 to work efficiently. 3 + 5 = 8 So, $13 + 5 = 18$
Bridging the 10 using number bonds	Children use a bead string to complete a 10 and understand how this relates to the addition.	Children use counters to complete a ten frame and understand how they can add using knowledge of number bonds to 10.	Use a number line to support the calculation.

	7 add 3 makes 10. So, 7 add 5 is 10 and 2 more.	$\begin{array}{ c c } \hline & & & & \\ \hline \\ \hline$	9 + 4 = 13
Adding a 1-digit number to a 2-digit number not bridging a 10	Add the 1s to find the total. Use known bonds within 10. 10 10 10 10 10 10 10 10 10 10 10 10 10 1	Add the 1s. + + + + + + + + + + + + + + + + + + +	Add the 1s. Understand the link between counting on and using known number facts. Children should be encouraged to use known number bonds to improve efficiency and accuracy. $30 \ 31 \ 32 \ 33 \ 34 \ 35 \ 36 \ 37 \ 38 \ 39 \ 40$ This can be represented horizontally or vertically. 34 + 5 = 39 or $\frac{1}{3} \ \frac{1}{4} \ \frac{5}{9} \ \frac{9}{9}$
Adding a 1-digit number to a 2-digit number	Complete a 10 using number bonds.		Complete a 10 using number bonds.

bridging 10		$\begin{array}{c} +5 \\ +3 \\ 43 \\ 44 \\ 45 \\ 46 \\ 47 \\ 48 \\ 49 \\ 50 \\ 51 \\ 52 \\ 53 \\ 7 = 5 + 2 \\ 45 + 5 + 2 = 52 \end{array}$
Adding a 1-digit number to a 2-digit number using exchange	Exchange 10 ones for 1 ten.	Exchange 10 ones for 1 ten. $ \frac{T}{2} \xrightarrow{0}{4} $ $ \frac{T}{2} \xrightarrow{0}{1} $ $ \frac{T}{2} \xrightarrow{0}{4} $ $ \frac{T}{3} \xrightarrow{0}{2} $
Adding a multiple of 10 to a 2-digit number	Add the 10s and then recombine. Add the 10s and then recombine. + + + + + + + +	Add the 10s and then recombine. 37 + 20 = ? 30 + 20 = 50 50 + 7 = 57 37 + 20 = 57

Adding a multiple of 10 to a 2-digit number using columns	Add the 10s using base 10 and a place v TO O O O O O O O O O O O O O	alue grid to support.	Add the 10s represented vertically. Children must understand how the method relates to unitising of 10s and place value. $\begin{array}{r} \hline T & O \\ \hline I & 6 \\ + & 3 \\ \hline 4 & 6 \end{array}$ $1 + 3 = 4$ $1 ten + 3 tens = 4 tens$ $16 + 30 = 46$
Adding two 2-digit numbers	Add the 10s and 1s separately. Add the 10s and 1s separately. 5 + 3 = 8 There are 8 ones in total. 3 + 2 = 5 (3 tens + 2 tens) There are 5 tens in total. 35 + 23 = 58	Add the 10s and 1s separately. Use a part-whole model to support. Use place value achart and base 10 to support 11 = 10 + 1 32 + 10 = 42 42 + 1 = 43 32 + 11 = 43	Add the 10s and the 1s separately, bridging 10s where required. A number line can support the calculations. $\underbrace{\begin{array}{c} +10 \\ 17 \end{array}}_{17} \underbrace{\begin{array}{c} +10 \\ 17 $
Adding two 2-digit numbers using a place value grid	Add the 1s. Then add the 10s.		Add the 1s. Then add the 10s.

	Tens Ones Image: state sta		$ \begin{array}{c} T \\ T \\ + 1 \\ 4 \\ - 6 \end{array} $ $ \begin{array}{c} T \\ T \\ - 6 \end{array} $ $ \begin{array}{c} T \\ T \\ - 6 \end{array} $ $ \begin{array}{c} T \\ - 6 \end{array} $ $ \begin{array}{c} T \\ - 6 \end{array} $
Subtraction	All children will be taught:	1	1
	Concrete	Pictorial	Abstract
Counting back and taking away	Children arrange objects and remove to find how many are left. 1 less than 6 is 5. 6 subtract 1 is 5.	Children draw and cross out or use counters to represent objects from a problem.	Children count back to take away and use a number line or number track to support the method. 876 876 $9 - 3 = 6$
Finding a missing part, given a whole and a part	Children separate a whole into parts and understand how one part can be found by subtraction.	Children represent a whole and a part and understand how to find the missing part by subtraction.	Children use a part-whole model to support the subtraction to find a missing part. 7 7 - 3 = ? Children develop an understanding of the

	$\downarrow \qquad \downarrow \qquad$	5 - 4 =	relationship between addition and subtraction facts in a part-whole model.
Finding the difference	Arrange two groups so that the difference between the groups can be worked out.	Represent objects using sketches or counters to support finding the difference.	Children understand 'find the difference' as subtraction.
	<u> </u>		I I
		5 - 4 = 1	10 − 4 = 6 The difference between 10 and 6 is 4.
	8 is 2 more than 6. 6 is 2 less than 8. The difference between 8 and 6 is 2.	The difference between 5 and 4 is 1.	
Subtraction within 20	Understand when and how to subtract 1s efficiently.	Understand when and how to subtract 1s efficiently.	Understand how to use knowledge of bonds within 10 to subtract efficiently.
	Use a bead string to subtract 1s efficiently.	5-3=2	5 - 3 = 2 15 - 3 = 12
	5 - 3 = 2 15 - 3 = 12	15 - 3 = 12	
Subtracting 10s and 1s	For example: 18 - 12	For example: 18 – 12	Use a part-whole model to support the calculation.
	Subtract 12 by first subtracting the 10, then the remaining 2.	Use ten frames to represent the efficient method of subtracting 12.	19 - 14

	First subtract the 10, then take away 2.	First subtract the 10, then subtract 2.	19 - 10 = 9 9 - 4 = 5 So, 19 - 14 = 5
Subtraction bridging 10 using number bonds	For example: 12 – 7 Arrange objects into a 10 and some 1s, then decide on how to split the 7 into parts. 7 is 2 and 5, so I take away the 2 and then the 5.	Represent the use of bonds using ten frames.	Use a number line and a part-whole model to support the method. 13-5 -2 -35 6 7 8 9 10 11 12 13
Subtracting multiples of 10	Use known number bonds and unitising to subtract multiples of 10.	Use known number bonds and unitising to subtract multiples of 10. 100 30 $10 - 3 = 7$ So, 10 tens subtract 3 tens is 7 tens.	Use known number bonds and unitising to subtract multiples of 10. 7 7 7 70 70 70 70 70 7
Subtracting a single-digit number	Subtract the 1s. This may be done in or out of a place value grid.	Subtract the 1s. This may be done in or out of a place value grid.	Subtract the 1s. Understand the link between counting back and subtracting the 1s using known bonds. 30 31 32 33 34 35 36 37 38 39 40

	T O 10 ≠ ≠ ≠ 39-3= 36	T O	$ \begin{array}{cccc} $
Subtracting a single-digit number bridging 10	Bridge 10 by using known bonds.	Bridge 10 by using known bonds.	Bridge 10 by using known bonds. -4 -4 -4 16 17 18 19 20 21 22 23 24 25 26 24 - 6 = ? 24 - 4 - 2 = ?
Subtracting a 2-digit number	Subtract by taking away.	Subtract the 10s and the 1s. This can be represented on a 100 square. $ \begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	Subtract the 10s and the 1s. This can be represented on a number line. -10
Subtracting a	Subtract the 1s. Then subtract the 10s.	Subtract the 1s. Then subtract the 10s.	Using column subtraction, subtract the 1s.

2-digit number using place value and columns	This may be done in or out of a place value grid. T O 00000 0000	Tens Ones	Then subtract the 10s. TO 4 5 - 1 2 3 TO 4 5 - 1 2 3 3
Multiplication	All children will be taught		1
	Concrete	Pictorial	Abstract
Recognising and making equal groups	Children arrange objects in equal and unequal groups and understand how to recognise whether they are equal.	Children draw and represent equal and unequal groups.	Three equal groups of 4. Four equal groups of 3.
Equal groups and repeated addition Finding the	Recognise equal groups and write as repeated addition and as multiplication.	Recognise equal groups using standard objects such as counters and write as repeated addition and multiplication.	Use a number line and write as repeated addition and as multiplication.
total of equal groups by counting in 2s, 5s and 10s	3 groups of 5 chairs 15 chairs altogether	3 groups of 515 in totalCounting in 2s, 5s and 10s	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

Using arrays to represent multiplication	Understand the relationship between arrays, multiplication and repeated addition.	Understand the relationship between arrays, multiplication and repeated addition.	Understand the relationship between arrays, multiplication and repeated addition.
and support understanding	4 groups of 5	4 groups of 5 5 groups of 5	$ \begin{array}{c} $
Understanding commutativity	Use arrays to visualise commutativity.	Form arrays using counters to visualise commutativity. Rotate the array to show that orientation does not change the multiplication.	Use arrays to visualise commutativity.
	I can see 6 groups of 3. I can see 3 groups of 6.	<i>This is 2 groups of 6 and also 6 groups of 2.</i>	4 + 4 + 4 + 4 + 4 = 20 5 + 5 + 5 + 5 = 20 $4 \times 5 = 20$ and $5 \times 4 = 20$
Learning ×2, ×5 and ×10 table facts	Develop an understanding of how to unitise groups of 2, 5 and 10 and learn corresponding times-table facts.	Understand how to relate counting in unitised groups and repeated addition with knowing key times-table facts.	Understand how the times-tables increase and contain patterns. ID I × I0 = ID 0 ID 0 </th

	3 groups of 10 10, 20, 30	$0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\$	$5 \times 10 = 50$ $6 \times 10 = 60$
Division	All children will be taught	3 × 10 = 30	
		Concrete	Concrete
Sharing	Share a set of objects into equal parts and work out how many are in each part.	Sketch or draw to represent sharing into equal parts/groups.	10 shared into 2 equal groups gives 5 in each group.
Sharing & Grouping equally	Start with a whole and share into equal parts, one at a time.	Represent the objects shared into equal parts using a bar model.	Use a bar model to support understanding of the division. 18 $18 \div 2 = 9$

	They get 6 each.		
	Understand how to make equal groups from a whole.	Understand the relationship between grouping and the division statements.	Understand how to relate division by grouping to repeated subtraction.
	<u> </u>	$12 \div 3 = 4$	
	8 divided into 4 equal groups. There are 2 in each group.		0 1 2 3 4 5 6 7 8 9 10 11 12 There are 4 groups now.
		$12 \div 2 = 6$	12 divided into groups of 3. $12 \div 3 = 4$
			There are 4 groups.
Using known times-tables solve divisio	Understand the relationship between multiplication facts and division.	Link equal grouping with repeated subtraction and known times-table facts to support division.	Relate times-table knowledge directly to division.
	4 groups of 5 cars is 20 cars in total. 20 divided by 4 is 5.	$\frac{60}{10} + \frac{1}{20} + \frac{1}{20} + \frac{1}{30} + \frac{1}{40}$ 40 divided by 4 is 10. Use a bar model to support understanding of the link between times-table knowledge and division.	$I \times I0 = I0$ $2 \times I0 = 20$ $3 \times I0 = 30$ $4 \times I0 = 40$ $5 \times I0 = 50$ $6 \times I0 = 60$ $7 \times I0 = 70$ $8 \times I0 = 80$ I know that 3 groups of 10 makes 30, so I know that 30 divided by 10 is 3. $3 \times 10 = 30$ So $30 \div 10 = 3$